
## J-200™ COLLECTION



## J-200 Collection





acuzzi Hot Tubs invites you to experience the J-200<sup>TM</sup> Collection, a quality line of stylish, affordable spas. A Jacuzzi J-200 Collection hot tub is the perfect place to relax, rejuvenate, and socialize. Reinvigorate with the perfect hydrotherapeutic massage after a long day of work. Indulge and pamper yourself, or enjoy time with your family on the weekend.

Known the world over for quality products and innovative technology, Jacuzzi invented the first portable submersible hydrotherapy pump 50 years ago, and in the early 1970s, launched an industry with the first selfcontained jetted hot tub. Today, Jacuzzi continues the tradition of quality. Each spa is manufactured under rigorous ISO 9001:2000 Certification standards, and are ETL and TÜV listed. I-200 Collection hot tubs are designed and manufactured with standard features on the J-210. J-220 and J-230. Optional upgrades such as stereo, lighting, and stainless steel jet faceplates are available on the J-270 and J-280 units.



### JET POWER

The placement and positioning of different jets determine the quality and comfort of massage in a hot tub. J-200 Collection jets are designed to

deliver a soothing, gentle massage or a stimulating therapeutic experience. All jets are strategically located to target specific muscle groups.



### Diverter Jet

The Diverter Jet delivers a swirling whirlpool massage to relax and soothe muscles. Importantly, these jets are divertible, so you can turn the massage from one seat to another.



### Luxury Je

The Luxury Jet provides large muscle groups with a powerful, deep massage. Ergonomically positioned in therapy seats, select Luxury Jets rotate to deliver a circular massage motion.



### Micro Je

The Micro Jet provides a focused massage to alleviate tension in small muscle groups.



### Euro Je

The sensitive neck area is a prime target for stress accumulation. The adjustable and directional Euro Jet effectively soothes the neck and shoulders.



### Pulsator Jet

The Pulsator Jet targets the calf area with an alternating stream that invigorates tired legs.

### THE CLASSIC JET COLLECTION—AVAILABLE ON THE J-280 AND J-270



### Classic Whirl Je

The Classic Whirl Jet delivers a powerful whirlpool action that can be felt throughout the entire spa.



### Classic Luxury

The Classic Luxury Jet provides a deep penetrating massage that is perfect for the muscles in the back and feet.



### Classic Mini

The Classic Mini Jet provides a targeted stream of water that helps release tension in the larger muscle groups of the back. With a fully adjustable face, all body types can use this jet.



### Classic Euro .

The Classic Euro Jet has a fully adjustable face that focuses a deep penetrating massage on the muscles in the back.



### Classic Furo Direct le

The Classic Euro Jet can be adjusted and directed allowing you to customize the pressure to your exact specifications. This jet focuses on small muscles and is perfect for relieving tension and strain.



### lassic Pulsator let


The Classic Pulsator Jet has a fully adjustable face that provides a pulsating stream of water to soothe sore leg muscles.







## FEATURES



he J-200 Collection spas are comfortable, stylish and built for ease of use.

### Comfort & Style

The inside of a J-200 spa is designed for a superior hydrotherapeutic session. Each seat is crafted to fit your body, so you can relax while jets create an ideal warm-water massage environment. Styling details add to your comfort: easy-to-reach controls, built-in drink holders, and pillow headrests are standard features, and the J-230<sup>TM</sup> model even includes a full lounge seat.

### Ease-of Use

Designed for functionality and enjoyment, J-200 Collection spas are easy to operate. Topside controls provide quick and easy operation of the two-speed motor and an efficient yet powerful heater allows you to customize your hot tub experience. A top-loading filtration unit gives you easy access to the filter, as well.













# $J - 280^{TM}$

Seating Capacity: 6-7

**Dimensions**: 91" x 91" x 37"

(231 x 231 x 94 cm)

Water Capacity: 390 US gallons (1,476 liters)

 Dry Weight:
 813 lbs. (369 kg)

 Filled Weight:
 4,068 lbs. (1,845 kg)

Pump 1 2 speed, 2.5 continuous hp

(4.8 brake hp\*)

Pump 2 1 speed, 2.5 continuous hp

(4.8 brake hp\*)

Control Panel: Digital LED

Jets: 44 total jets

Filtration: 95 sq. ft. filter

Waterfall: 1 Classic Waterfall

Electrical:

*North America*: 240VAC 60Hz 40A/50A/60A

The J-280 easily seats six adults and offers factory installed options of a marine grade stereo or LED lighting for the waterfall, foot well and the interior perimeter. Standard equipment includes 44 jets with six variations allowing for the perfect massage for every one of your family or friends. For added beauty, the jets can be upgraded to include stainless steel faces. Five cup holders, four pillows and top side controls are also standard on the J-280.

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.







# $J - 270^{TM}$

Seating Capacity:

**Dimensions:** 91" x 91" x 37"

(231 x 231 x 94 cm)

Water Capacity: 390 US gallons (1,476 liters)

 Dry Weight:
 813 lbs. (369 kg)

 Filled Weight:
 4,068 lbs. (1,845 kg)

Pump 1 2 speed, 2.5 continuous hp

(4.8 brake hp\*)

Pump 2 1 speed, 2.5 continuous hp

(4.8 brake hp\*)

Control Panel: Digital LED

Jets: 42 total jets

Filtration: 95 sq. ft. filter

Waterfall: 1 Classic Waterfall

Electrical:

*North America*: 240VAC 60Hz 40A/50A/60A

The J-270 seats six adults and includes a lounge with 14 jets that target the shoulder, back and legs. The J-270 comes with several standard features not found on ordinary spas: three pillows, a waterfall, four drink holders and two powerful pumps with the optional upgrade of a circulation pump. Options such as stereo and stainless steel jet faces can be added to your J-270—tailoring it to your specifications.

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.





# Calf jets gently soothe sore muscles.

# $J - 230^{TM}$

Seating Capacity:

**Dimensions**: 84" x 84" x 36"

(213 x 213 x 91.5 cm)

Water Capacity: 380 US gallons (1,438.0 liters)

 Dry Weight:
 630 lbs. (286 kg)

 Filled Weight:
 3,801 lbs. (1,724 kg)

Pump 1

North America: 2 speed, 2.5 continuous hp

(4.8 brake hp\*)

International: 2 speed, 2.0 continuous hp

(3.5 brake hp\*)

Pump 2

North America: 1 speed, 2.0 continuous hp

(3.5 brake hp\*)

International: 2 speed, 2.0 continuous hp

(3.5 brake hp\*)

Control Panel: Digital LED

Jets: 33 total jets

Filtration: 50 sq. ft. filter

Electrical:

*North America*: 240VAC 60Hz 40A/50A/60A

International: 230VAC 50Hz 20A/30A/40A

The J-230 model is known for its impressive jet power. 33 jets deliver a variety of massages to every seat and an additional pump enhances the jet power. With room for five, the J-230 is one of the largest hot tubs in the J-200 Collection. A full-body lounge seat provides a place to stretch out for optimum relaxation.

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.





# $J - 220^{TM}$

Seating Capacity:

76" x 84" x 36" Dimensions:

(193 x 213 x 91.5 cm)

Water Capacity: 335 US gallons (1,268 liters)

Dry Weight: 530 lbs. (240 kg)

Filled Weight: 3,326 lbs. (1,509 kg)

Pump 1

2 speed, 1.5 continuous hp North America:

(2.0 brake hp\*)

2 speed, 2.0 continuous hp International:

(3.5 brake hp\*)

Control Panel: Digital LED

21 total jets Jets:

Filtration: 50 sq. ft. filter

Electrical:

North America: 120VAC 60Hz 15A

240VAC 60Hz 30A/40A

*International:* 230VAC 50Hz 20A/30A

The J-220 model provides room for four, with convenient access to air controls from every seat. The diverter valves and adjustable jets enable each person to customize their massage. The foot jets, including the two-jet foot mound, are popular features of the J-220. Setup is easy and maintenance is simple, so you can enjoy your J-220 any time.



Note: U.S. electrical setup requires no hardwiring – it only needs to be plugged into a standard /grounded 120V outlet.

<sup>\*</sup>Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.







# $J - 210^{TM}$

Seating Capacity:

Dimensions:

78" x 36"

(198 x 91.5 cm)

500 lbs. (227 kg)

Water Capacity:

220 US gallons (833 liters)

Dry Weight: Filled Weight:

2,336 lbs. (1060 kg)

Pump 1

North America:

2 speed, 1.5 continuous hp

(2.0 brake hp\*)

International:

2 speed, 2.0 continuous hp

(3.5 brake hp\*)

Control Panel:

Digital LED

Jets:

19 total jets

Filtration:

50 sq. ft. filter

Electrical:

North America: 120VAC 60Hz 15A

240VAC 60Hz 30A/40A

*International:* 230VAC 50Hz 20A/30A

At six feet, six inches diameter, and with four specific therapy stations, this circular hot tub is perfect for a party of four. The J-210 is also compact and simple to move, so finding the perfect place for it, indoors or out is no problem.

Equipped with a comfortable foot mound and an adjustable diverting whirlpool jet that propels the swirling water, the J-210 creates an oasis for conversation and relaxation.



Note: U.S. electrical setup requires no hardwiring – it only needs to be plugged into a standard /grounded 120V outlet.

\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.



### Sahara

Platinum



### Desert Sand

### Spa Shell & Insulation

Exclusive TriFusion System™ shell construction uses an innovative three-layer shell to provide superior strength and thermal retention, making Jacuzzi spa shells the strongest in the industry. Three layers are applied for durability: an acrylic layer, bonding layer, and a rigidizing layer. The combination of the TriFusion shell and full-foam insulation offers maximum heat retention.

### Spa Cabinetry

Durable and UV-resistant synthetic cabinetry provides your spa with the beauty of natural wood with three color options: Silverwood, Autumn Red, and Harvest Wheat.

### **Colors and Textures**

The J-200 Collection offers a choice of seven acrylic spa shell colors and textures to match your style. And of course, each spa comes with an elegant cover—so that your J-200 spa looks just as handsome when not in use as when you're relaxing in it.

\*Sand available in North America only. Selection may vary by dealer.

Harvest Wheat



Bordeaux



Silverwood



Harvest Wheat



Autumn Red





Bluegrass

Cobalt



## CLASSIC COLLECTION







			TARREST .
Seating Capacity:	6-7	6	5
Dimensions:	91" x 91" X 37" (231 x 231 x 94 cm)	91" x 91" X 37" (231 x 231 x 94 cm)	84" x 84" x 36" (213 x 213 x 91.5 cm)
Water Capacity:	390 US gallons (1,476 liters)	390 US gallons (1,476 liters)	380 US gallons (1,439 liters)
Dry Weight:	813 lbs. (369 kg)	813 lbs. (369 kg)	630 lbs. (286 kg)
Filled Weight:	4,068 lbs. (1845 kg)	4,068 lbs. (1845 kg)	3,801 lbs. (1,724 kg)
Pump 1 North America:	(1) 2 speed, 2.5 continuous hp (4.8 brake hp*)	(1) 2 speed, 2.5 continuous hp (4.8 brake hp*)	(1) 2 speed, 2.5 continuous hp (4.8 brake hp*)
International:	-	-	(1) 2 speed, 2.0 continuous hp (3.5 brake hp*)
Pump 2			
North America:	(1) 1 speed, 2.5 continuous hp (4.8 brake hp*)	(1) 1 speed, 2.5 continuous hp $(4.8 \text{ brake hp*})$	(1) 1 speed, 2.0 continuous hp $(3.5 \text{ brake hp*})$
International:	-	-	(1) 2 speed, 2.0 continuous hp (3.5 brake hp*)
Control Panel:	Digital LED	Digital LED	Digital LED
Jets:	44 total jets	42 total jets	33 total jets
Waterfalls	1	1	-
Filtration:	95 sq. ft. filter	95 sq. ft. filter	50 sq. ft. filter
Electrical North America:	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
International:	-	-	230VAC 50Hz 20A/30A/40A








76" x 84" x 36"	78" x 36"	
(193 x 213x 91.5 cm)	(198 x 91.5 cm)	
335 US gallons (1,268 liters)	220 US gallons (833 liters)	
530 lbs. (240 kg)	500 lbs. (227 kg)	
3,326 lbs. (1,509 kg)	2,336 lbs. (1,060 kg)	
(1) 2 speed, 1.5 continuous hp (2.0 brake hp*)	(1) 2 speed, 1.5 continuous hp (2.0 brake hp*)	
(1) 2 speed, 2.0 continuous hp (3.5 brake hp*)	(1) 2 speed, 2.0 continuous hp (3.5 brake hp*)	
-	-	
-	-	
Digital LED	Digital I FD	
Digital LED	Digital LED	
21 total jets	19 total jets	
-	-	
50 sq. ft. filter	50 sq. ft. filter	
120VAC 60Hz 15A	120VAC 60Hz 15A	
240VAC 60Hz 30A/40A	240VAC 60Hz 30A/40A	
230VAC 50Hz 20A/30A	230VAC 50Hz 20A/30A	











### WATER THAT MOVES YOU®

Jacuzzi® is the leading global manufacturer and distributor of bath and plumbing products for the residential, commercial and institutional markets. In addition to innovative hot tubs, products include kitchen fixtures, whirlpool baths, showers, and bathtubs.

J-280 J-270 J-230


\*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals.

### OPTIONS - Available for J-280 & J-270

### **Classic Lighting**

The warm reflection of the lighting in the J-270 and J-280 is a wonderful upgrade to your hot tub. If you use your hot tub in the evening, like most people, the 22 lights that surround you and the additional foot well lighting not only provide a great visual feeling but help when entering or exiting the hot tub. Plus three lights are included behind the waterfall creating a beautiful accent.





### **Classic Stereo System**

Adding the optional Stereo System to your Jacuzzi Hot Tub will guarantee that your J-270 or J-280 is the place to have a good time. The AM/FM radio and CD player will play your favorite songs with absolute clarity of sound through four marine-grade waterproof speakers.





### **Classic Stainless Stain Jet Face Plates**

Our optional factory installed Stainless Steel Jet Face Plates add a refined elegance to your Jacuzzi Hot Tub. The face plates enhance the natural beauty of the water and when paired with the optional lighting create a beautiful reflection of color





### **Circulation Pump**

By adding the optional 24-hour, Circulation Pump to your Jacuzzi Hot Tub, the flow of water will increase through the filtration system ensuring clear, clean water.



### Your Jacuzzi Hot Tubs Dealer is:

















www.jacuzzi.com

14525 Monte Vista Avenue, Chino, CA 91710 / U.S.A.

2890-023S Rev. C / 0607-10K

Printed in the United States









© 2007 Jacuzzi Hot Tubs. All rights reserved. Jacuzzi® is a registered trademark of Jacuzzi Inc. used with permission. All other brands, product names, company names, trade names, trademarks and service marks used are the property of their  $respective \ owners. \ Jacuzzi \ may \ make \ product \ modifications \ and \ enhancements. \ Specifications \ may \ change \ without \ notice.$ International products may be configured differently to meet local electrical requirements. Dimensions are approximate. Manufactured under one or more United States patent numbers. Other patents may apply.